
GOBELIN MAT CS SCRIM

GOBELIN 2 MAT CS SCRIM

» A waterproof version of our essential Gobelin Scrim with extra-matte finish



























www.teviloj.fr











CHARACTERISTICS

Name	Gobelin Mat CS Scrim	Ref	2009
Previous product name (Teviloj)	Gobelin 2 Mat CS Scrim		
Width	± 600 cm	Weight	± 120 g/m²
Flame-retardant rating	M ₁	Composition	100% FR Polyester

- » A waterproof version of our essential Gobelin Scrim with extra-matte finish
- » Scrim with "sharkstooth" rectangular mesh
- » A washable version of our Gobelin Scrim suitable for outdoor use
- » Combines the **hard-wearing** properties of polyester with an **ultra-matte** finish
- » Ideal for opaque/transparent effects frequently used in theatres
- » Can be used in two layers to create shimmering effects
- » Highly recommended as an alternative surface for front-projection and rear-projection
- » Ideal as a paintable surface
- » 2-ply weave offers good stability and low warping under tension
- » Manufactured in **extra-large widths** for dressing oversize areas without assembly seams
- » Intrinsically **M1 flame-retardant** (length of rating not limited)
- » Open weave offers good acoustic transparency

COLOURS





nite Blac 02 003


SPECIAL FEATURES

The "magic" of stage scrims

Make whole sections of your set appear and disappear as if by magic, by simply playing with the lighting on your scrim!

- » Back-lighting reveals objects behind the scrim (lighting makes the scrim transparent)
- Frontal or side-lighting makes them totally invisible to the audience (lighting makes the scrim opaque)

Mesh size







ACOUSTICS

» Acoustic transparency lets you install this material in front of sound sources (speakers, PA, etc.)

ADDITIONAL INFORMATION

Thickness	± 0.93 mm		
Appearance	Textile with rectangular "sharkstooth" open weave		
Supplied in	Rolled centre-folded in 3 m		
Average roll length	± 50 - 70 m		
Cut-to-length	Yes (minimum 1 linear metre)		
Care	No care instructions were provided for this product by the manufacturer We recommend testing a sample piece before proceeding with washing this material		
Storage	No specific recommendations		
Directions for use	 We recommend ensuring perfect tensioning for theatrical use (opacity/transparency) and projection (front/rear): use of weighted pole recommended for lower section Can be made up to any dimensions (up to 5.50 m high without assembly seams) and with all finishing options (eyelets or rivets, tabs, sleeves and channels, hems, velcro, etc.) in our workshops Suitable for outdoor and indoor use 		
Recommended use	 Theatre use (opacity/transparency) Creative projection surface (front-projection and rear-projection) Paintable surface for flats Backdrops, etc. 		
Accessories	» Weighting poles» Cyclorama clips, etc.		
Printing	Non-printable surface Need a printable scrim? We recommend you take a look at our "Gobelin Special Print"		

CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned.

No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.



