

Duo Dance Flooring

Ref: 2310 to 2330




Duo, the standout dance flooring from premium brand **Harlequin**.

This classic **matte-finish** dance flooring is **Bfl-s1** flame-retardant rated and ideal for equipping your **stage floors** and **dance studios**.

A **double-sided, two-tone** flooring comprising two layers of calendered **non-slip** PVC. It can be used on both sides.

To ensure it fits perfectly into any space, our flooring is available in **2 widths** : 1.50 m and 2 m.

On top of a range of classic colours, it is also available in **chroma key colours** for digital keyed video, and black/grey for **projection** of images.



Colours



Black / White
050



Black / Grey
051

Standard colours



Black / Grey
projection
052



Light grey /
Dark grey
053



Black / Red
055



Dark grey /
Caramel
056




Dark brown /
Beige
057



Blue / Green
Chroma key
060

Colours available to order

Characteristics

Name	Duo dance flooring				
Reference	2310	2315	2320	2325	2330
Roll length	10 m	15 m	20 m	25 m	30 m
Width	150 cm (Black/White, Black/Grey) 200 cm (All other colours)				
Cut-to-length	No				
Weight	1600 g/m ²				
Thickness	1.25 mm				
Composition	100% PVC				
Flame-retardant rating	 Bfi-S1 (EN 13501-1)				
Sound insulation	2 dB				



Appearance	PVC flooring with "lino" effect, reversible depending on colour required. Matte finish
Supplied in	Rolled full-width
Care	Wash with soapy water then rinse with fresh water.
Storage recommendations	Storage of rolled widths Store indoors (away from light and humidity) At room temperature (approx. 23°C) Storage should not exceed 6 months between use
Directions for use	Can be installed directly on soft flooring (lino, vinyl, parquet, etc.) Not recommended for installation on hard flooring (tiles, concrete, etc.) Assemble widths using adhesive tape for dance flooring, apply to upper surface of flooring To achieve optimum flatness, we recommend storing the product in a warm place (approx. 23°C) for 24 hrs prior to assembly
Recommended use	Installation in dance studios Dressing temporary or permanent stages and sets (opera, ballet, etc.) Dressing stage risers, etc.
Accessories	Dance flooring adhesive tape Storage trolley for dance flooring
Printing	Depending on type of machine and ink We recommend test-printing on samples before full-scale production
High-frequency welding	According to high-frequency weld machinery We recommend testing welds on samples before full-scale production

CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.