

Ref: 2406



A **carpet** with a fine **thick** and **hard-wearing** weave, rated Bfl-S1 flame-retardant.

Product intended for **the most exclusive events (single-use recommended)**, choose Croisette carpet when only the most prestigious yet hard-wearing events carpeting will do (long trade-fairs and tradeshow, VIP receptions...)

Colours



SEE DETAILS ON OPPOSITE PAGE:


- A range of 3 basic colours - always in stock.
- A range of 33 additional colours - available to-order, minimum order 1 roll, subject to delivery time.

Basic colours


Colours usually in stock in our warehouses in 80 m² rolls (40 m x 2 m)



White
002




Black
003




Tulip
260

Other colours


Manufactured and supplied to order, please allow additional delivery time. Roll dimensions may vary.




HG262




HG425




HG215




HG420



HG423



HG437



HG416



HG210



HG252



HG295




HG248



HG441



HG415



HG182



HG435




HG433



HG438



HG406



HG429




HG401




HG402




HG404




HG427



HG413




HG410




HG265



HG409




HG439




HG412



HG430



HG442



HG419



HG239

Characteristics

Name	Croisette Carpet	
Reference	2406	
Width	± 200 cm	
Weight	± 900 g/m ²	
Thickness	± 6 mm	
Flame-retardant rating	 Bfl-S1	Standard EN 13501-1
Composition	Pile: 100% polypropylene - Underlay: synthetic latex	

Characteristics

Length of whole bolt	± 40linear metres / 80 m ² (varies according to colour and batch)	
Supplied in	Rolled full-width	
Cut-to-length	No	
Light fastness	≥ 6	Standard ISO 105-B02

Additional information

Appearance	Deep-pile felt carpet
Care	Clean only by vacuuming and brushing. (Single events use recommended)
Storage recommendations	Rolled storage indoors is recommended (away from light sources and humidity)
Directions for use	We recommend single use (disposable product) Install on flat floor, secure using double-sided adhesive tape. Protect from elements.
Recommended use	The most prestigious events: cover your floors for temporary and permanent exhibitions, gala evenings, fashion shows, etc.
Accessories	Double-sided adhesive tape (choose according to floor): <ul style="list-style-type: none">• Canvas double-sided adhesive tape• PVC double-sided adhesive tape• Double-sided adhesive tape for fragile floors

CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.