


A **light** awning material with micro-aeration and **M1** flame-retardant rating that combines **protection from the hot sun** while ensuring excellent visual comfort thanks to its unrivalled **translucency**. Specially hard-wearing and **UV and weather-resistant**, Soltis is ideal for **use** indoors and **outdoors**.

Specially designed for making **sun awnings** and **blinds**, this product can also be used in other ways, such as **dressing events structures**. You can even forget all about its primary functions and use it as a **creative projection screen** (we recommend testing it first depending on the colour).


Eco-friendly Soltis is both sustainable and **100% recyclable**.




## Standard colours:



## Full colour range:

(sold by the roll; additional delivery time may be required depending on quantity and colour)



Technical data	Value	Notes
Width	177 cm	Some colours are available to order in 267 cm width (in 40 m lengths).
Weight	380 g/m <sup>2</sup>	Standard: EN ISO 2286-2
Thickness	0.43 mm	
Flame-retardant rating	 M1  B-s2,d0  B1	Standard: UNE 23.727-90 Standard: EN 13501-1 Standard: DIN 4102-1
Composition	High-resistance polyester weave + PVC treatment	

Technical data	Value	Notes
Roll length	50 m Rolled full-width	Cut-to-length available for standard colours Extended range of colours sold in whole lengths only.
Openness factor	14%	
Tensile strength at break	Warp: 230 daN/5 cm Weft: 160 daN/5 cm	Standard: EN ISO 1421
Tear Force	Warp: 45 daN Weft: 20 daN	Standard: DIN 53.363
Sunlight transmission	14 to 31% (according to colour)	
Sunlight reflection	5 to 60% (according to colour)	
Sunlight absorption	12 to 81% (according to colour)	

Additional information	
Care	<p>Spray gentle detergent onto surface to be cleaned            Allow to act for 2-3 minutes            Use a brush to brush repeatedly in a circular motion (not backwards and forwards)            Allow to act for 1 minute            Rinse with fresh water or using a damp sponge            Dry with soft dry cloth</p> <p><i>Before using a detergent on the whole area, we recommend cleaning a test sample of the material.</i></p>
Appearance	<p>Fine canvas with microperforated PVC appearance            2 identical sides (except two-tone reversible colours)</p>
Recommended use	<p>Shades, blinds, etc.            Dressing stage and events structures            Indoor and outdoor use</p>







## CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



[export@azur-scenic.com](mailto:export@azur-scenic.com)

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.