

Ref: 3514



A **medium-weight polyester velour** in **unlimited colours!**

Thanks to its 100% FR polyester composition, this velour is **rated M1 flame-retardant**. **Washable** and **moisture-resistant**, it can be used both **indoors** and **outdoors** in any **public space**.

Always on stock in its natural off-white ecru colour, Missouri velour can be **died in your choice of colour**. We can also **colour-match existing shades** from our range of Delalande velour or even **create your custom colours** from a sample or using a RAL colour code provided by you.

Colour




Black
003



- **Colour available to order** from 100 or 200 linear metres (please contact your sales team representative for more information)
- Colour can be copied from one of our range of textiles, or recreated using your own sample or RAL reference

Characteristics

Name	Missouri Velour	
Reference	3514	
Width	± 140 cm	
Weight	± 400 g/m ²	
Thickness	± 1.1 mm	
Flame-retardant rating	 M1	Standard NF P92-507
Composition	100% FR Polyester	
Length of whole roll	± 25/30 m (lengths not calibrated)	
Supplied in	Rolled full-width	
Cut-to-length	According to colour and stock (please contact us)	
Abrasion resistance	> 40,000 cycles (Martindale)	Standard ISO 12947
Tensile strength at break	Warp > 100 kg Weft > 40 kg	Standard ISO 13934-1
Elongation at break	Warp > 22% Weft > 10 %	Standard ISO 13934-1
Colour fastness to rubbing	Dry: 4-5 Wet: 4-5	Standard ISO 105-X12

Additional information

Appearance	Soft velours with short nap and a semi-mat appearance
Care	Washable at 30°C Dry-clean
Storage recommendations	Rolled storage indoors is recommended (away from light sources and humidity)
Directions for use	Can be made up to any dimensions and with all finishing options (eyelets or rivets, tabs, sleeves, etc.) in our workshops Indoor and/or outdoor use

Additional information

Recommended use	Stage curtains Banners Friezes Partition curtains, etc.
Accessories	Production accessories (straps, ballast chain, etc.) Mounting accessories (clibs, tabs, carabiners, etc.)
Printing	Feasibility depending on project; please contact your sales team representative



CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.