

Ref: 3550



The velour that **combines** the **advantages** of polyester and cotton!

100% FR polyester, this velour is **M1 flame-retardant** rated, **washable** and suitable for **outdoor use**. It can therefore be used in public spaces, both **inside** as well as in the great outdoors!

Seine velour is also **matte finish** and offers an **affordable alternative** to cotton velour. You'll love its rich colours with black-out properties, as well as its **amazing value for money!**


Colours




White
002



Black
003



Red
200



Bordeaux
290



New colours
coming soon

Characteristics

Name	Seine velour	
Reference	3550	
Width	± 140 cm	
Weight	± 500 g/m ²	
Thickness	± 1.8 mm	
Flame-retardant rating	 M1	Standard NF P92-507
Composition	100% FR Polyester	
Length of whole roll	± 30/35 m (lengths not calibrated)	
Supplied in	Rolled full-width	
Cut-to-length	Black: yes Other colours: according to stock	
Abrasion resistance	> 100,000 cycles (Martindale)	Standard ISO 12947
Tensile strength at break	Warp > 87 kg Weft > 65 kg	Standard ISO 13934-1
Elongation at break	Warp > 19% Weft > 20 %	Standard ISO 13934-1
Tear Force	Warp > 20 N Weft > 20 N	Standard ISO 13937-3
Light fastness	6/7	Standard ISO 105-B02

Additional information

Appearance	Smooth, short nap velours with a matte appearance	
Care	Washable at 30°C Dry-clean	
Storage recommendations	Rolled storage indoors is recommended (away from light sources and humidity)	
Directions for use	Can be made up to any dimensions and with all finishing options (eyelets or rivets, tabs, sleeves, etc.) in our workshops Indoor and/or outdoor use	

Additional information

Recommended use	Stage curtains Banners Friezes Partition curtains, etc.
Accessories	Production accessories (straps, ballast chain, etc.) Mounting accessories (clips, tabs, carabiners, etc.)
Printing	Feasibility depending on project; please contact your sales team representative



CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.