Narbonne Velour

Ref. 3602











Deluxe velour combining top-of-the-range quality with affordability, it is **heavy**, **opaque** and rated **M1 flame-retardant**.

This velour is available in **jet black** with a very **matte finish**, achieved using continuous double-dying and a high thread-count.

This velour offers **amazing value for money** and is ideal for making **stage curtains** for theatres, operas, etc.



Want to equip your stage or space with different coloured curtains?

You can mix and match Narbonne Velour with our Monte Cristo and Gounod Velour, available in a range of classic theatrical colours! These velours have a very similar appearance, making them perfect partners for a single space.

003

Technical data	Value	Notes
Width	± 140 - 145 cm	
Weight	500 g/m²	
Thickness	1.85 mm	
Flame-retardant rating	() M1	
Composition	100% Cotton	
Roll length	Approx. 30 m	Lengths not calibrated, variable lengths Cut-to-length possible
Tensile strength at break	Warp: > 40 kg Weft: > 69 kg	Standard: ISO 13934-1
Elongation at break	Warp: > 3% Weft: > 11%	Standard: ISO 13934-1
Acoustic properties		Standard: ISO 354
WSAC (weighted sound absorption coefficient)	0.75 α _w	Standard: ISO 11654
SAC (sound absorption class)	C (highly absorbent)	Standard: ISO 11654
NRC (noise reduction coefficient)	0.80	Standard: ASTM C423
SAA (sound absorption average)	0.80	Standard: ASTM C423
	Sound absorption curves	on page 2



Narbonne Velour

Ref. 3602





Additional information

Care Vacuum clean, soft brush

(Product not suitable for washing or dry cleaning)

Recommended use Stage curtains, black-out curtains, etc.







Narbonne Velour

Ref. 3602





CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.

