





A deluxe velour that's **extra-heavy** and **opaque**, and offering **very strong acoustic absorption properties** and **M1 flame-retardant** rating.

Available in a range of classic **theatrical colours**, including **jet black** with an extremely **matte finish**.

This velour offers **amazing stability** and is ideal for making **stage curtains** for theatres, operas, etc.



Technical data	Value	Notes
Width	± 140 - 145 cm	
Weight	620 g/m <sup>2</sup>	
Thickness	1.5 mm	
Flame-retardant rating	 M1	
Composition	100% Cotton	
Roll length	Approx. 30 m	Lengths not calibrated, variable lengths Cut-to-length possible
Tensile strength at break	Warp: > 52 kg Weft: > 62 kg	Standard: ISO 13934-1
Elongation at break	Warp: > 4% Weft: > 13%	Standard: ISO 13934-1
Acoustic properties		
WSAC (weighted sound absorption coefficient)	0.80 $\alpha_w$	Sound absorption curves on page 2
SAC (sound absorption class)	B (extreme absorption)	




## Additional information

Care

Vacuum clean, soft brush  
(Product not suitable for washing or dry cleaning)

Recommended use

Stage curtains, acoustic curtains, black-out curtains, etc.







CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



[export@azur-scenic.com](mailto:export@azur-scenic.com)

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.