




Superb cotton stage velour with a **warm effect**, with high thread-count weave, rated **M1 flame-retardant**, and combining **acoustic absorption, opacity** and heat-resistance.

With its **short-pile weave**, this velour is ideal for backdrops as it offers **deep matte** colours with little shine and a greater resistance to dust. Furthermore, it is highly crease-resistant compared with other long-pile cotton velour.

This velour is particularly suited to making **stage curtains, banners**, and more...

In flame-retardant cotton, it is generally recommended for indoor use.






Technical data	Value	Notes
Width	± 140 cm	
Weight	600 g/m <sup>2</sup>	
Thickness	1.81 mm	
Flame-retardant rating	 M1	
Composition	100% Cotton	
Roll length	Approx. 30 m	Lengths not calibrated, variable lengths Cut-to-length possible
Tear Force	Warp: > 20 N Weft: > 14 N	
Tensile strength at break	Warp: > 96 kg Weft: > 46 kg	
Elongation at break	Warp: > 6% Weft: > 8%	

Technical data	Value	Notes
Acoustic properties		Standard: UNE EN ISO 354: 2004
WSAC (weighted sound absorption coefficient)	0.60 $\alpha_w$	Sound absorption curves below
SAC (sound absorption class)	C (highly absorbent)	

## Additional information

Care	Vacuum clean, soft brush (Product not suitable for washing or dry cleaning)
Recommended use	Stage hangings: stage curtains, banners, etc.





## CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



[export@azur-scenic.com](mailto:export@azur-scenic.com)

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.