

» The **thicker, heavier** and **2-sided brushed** variant of the essential brushed cotton



CHARACTERISTICS

Name	Fleece	Ref	6901
Previous product name (Teviloj)	Heavy brushed cotton	Former name (Azur)	Fleece 3000
Width	± 300 cm	Weight	± 200 g/m ²
Flame-retardant rating	 M1	Composition	100% Cotton

- » *The thicker, heavier and 2-sided brushed variant of the essential brushed cotton*
- » **Brushed cotton fleece** on both sides
- » **High quality** and **great value for money**
- » **M1** flame-retardant rating (length of rating not limited)
- » Available in **standard colours** (black, white)
- » Ideal for **event decoration** and **dressing structures** (stands, walls, ceilings, barriers, etc.)
- » Also useful for creating **stage decor**

COLOURS



White
002



Black
003

ADDITIONAL INFORMATION

Thickness	± 0.6 mm
Appearance	Brushed fleece (fluffy appearance) on both sides Rather matte appearance
Supplied in	Rolled, centre-folded (1.50 m)
Average roll length	± 50 m
Cut-to-length	Yes, (minimum 5 linear metres)
Care	    
Storage	Storage indoors recommended (away from light sources and humidity)
Directions for use	We recommend single use (disposable textile) <ul style="list-style-type: none">» Can be tensioned by stapling» Can be made up to any dimensions and with all finishing options (eyelets or rivets, tabs, sleeves and leaded hems, etc.) in our workshops» For use in areas protected from the elements
Recommended use	<ul style="list-style-type: none">» Dressing stands (fairs, exhibitions, etc.)» Dressing structures (barriers, stages, etc.)» Event decoration (dressing walls and ceilings, creating disposable tablecloths, etc.)» Stage decor» Event curtains etc.
Accessories	<ul style="list-style-type: none">» Production accessories (Velcro, straps, etc.)» Mounting accessories (clamps, bungee cords, knots, etc.)
Printing	Non-printable surface Looking for a great-value printable fabric? We recommend you take a look at our "Poly 230 Print"

CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.