



Sample size photo

Outdoor Acoustic Divider: The m1 flame-retardant **INDOOR** and **OUTDOOR** acoustic divider par excellence.

A large number of urban events are limited by, or even prohibited due to noise pollution regulations. You've just found your perfect partner!

Ideal for **urban events**, **festivals** and **concerts** with **multiple scene changes**, the Acoustic Divider is the only **waterproof M1-rated acoustic divider** offering insulation up to an impressive 17 dB!

Available in 3 colours as well as a printable version, the Outdoor Acoustic Divider is an **ingenious light-weight** solution that's **easy to install** allowing you to drastically **limit noise**.

Choice of colours for the outer:



002



003




150





760



Other colours available to order; please contact us.

Technical data	Value	Notes
Standard dimensions	2 m x 1.20 m (4 kg) 2 m x 3.60 m (12 kg)	(Other dimensions available to order)
Weight	1660 g/m ²	
Flame-retardant rating	 M1	Standard: NF P 92-501
Composition	Outer: PVC tarpaulin (620 g/m ²) Interior: Polyester fibre cushion (830 g/m ²) Coated black glass fabric (215 g/m ²)	
Standard finishes	Eyelets (internal Ø 16 mm) every 50 cm around the edges (Other finishes available to order)	
Acoustic properties		
Noise reduction		Standard EN ISO 717/1
Sound reduction:	20 dB at 1000 Hz	
Weighted apparent sound reduction index:	R'W (C, Ctr): 17 dB (-1, -3)	
Acoustic absorption		Standard: EN ISO 11654
Weighted sound absorption index	α_w : 0.50 MH	
	Sound curves available on page 2	



Additional information

Printing

Printable white colour available to order: please contact us

Care

Wash with soapy water, rinse with fresh water
Do not use harsh abrasive detergents
We recommend testing cleaning products on a small area before cleaning the entire surface.

Recommended use

Acoustic insulation, visual screening, dividing spaces...
Can be used indoors and outdoors



CONTACT OUR EXPORT TEAM

+33 (0)6 23 21 50 28



export@azur-scenic.com

The information in this document provides generic values that describe only the standard technical specifications and chemical composition of the products concerned. No guarantee is offered. Any images are non-contractual. The names of the colours are given for information purposes only and do not guarantee a specific colour.